



Diameter

the distance across a circle, measured through its center; or the line segment that joins two points on the circle and passes through the center.




Radius

the distance or line segment from the center of a circle to any point on the circle.



Chord(s)

a line segment that joins two points on a circle.




Arc

A segment of the circumference of a circle.


Minor Arc

The shorter of two arcs between two points on a circle.
For example: \widehat{AB}




Tangent

a line that intersects a circle at only one point.




Point of Tangency

the point where a tangent intersects a circle



Central Angle

An angle whose arms are radii of a circle.




Inscribed Angle

An angle in a circle with its vertex and endpoints of its arms on the circle.

For example, $\angle PQR$

Section 8.1 Properties of Tangents to a Circle




Tangent-Radius Property

A tangent to a circle is perpendicular to the radius at the point of tangency.

$$\angle APO = \angle BPO = 90^\circ$$

Example Problems

- A) Point O is the center of a circle and AB is tangent to the circle. In $\triangle OAB$, $\angle AOB = 55^\circ$. Determine the measure of $\angle OBA$.




Since $\angle A = 90^\circ$ and $\angle O = 55^\circ$

Then $90 + 55 = 145$

The three angles in a triangle add to 180° . So $\angle x = 180 - 145 = 35^\circ$.


Try to find the missing angles in the following diagrams

A)




$$x = 48^\circ$$

B)



$$x = 76^\circ$$

Application Example



Since AC is a tangent ...

$$\angle BDA = \angle BDC = 90^\circ$$

Find x

$$x + 90 + 57 = 180$$

$$x + 147 = 180$$

$$x + 147 - 147 = 180 - 147$$

$$x = 33^\circ$$

Find y

$$y + 90 + 35 = 180$$


$$y + 125 = 180$$

$$y + 125 - 125 = 180 - 125$$

$$y = 55^\circ$$

Using the Pythagorean Theorem in a Circle

1.




Since BM is a tangent we know that $\angle OBM = 90^\circ$.

$$\begin{aligned}a^2 + b^2 &= c^2 \\8^2 + b^2 &= 10^2 \\64 + b^2 &= 100 \\b^2 &= 100 - 64 \\b^2 &= 36 \\b &= \sqrt{36} \\b &= 6 \text{ cm}\end{aligned}$$

Try this one!


2.



Since BM is a tangent we know that $\angle OBM = 90^\circ$.

$$\begin{aligned}a^2 + b^2 &= c^2 \\12^2 + b^2 &= 16^2 \\144 + b^2 &= 256 \\b^2 &= 256 - 144 \\b^2 &= 112 \\b &= \sqrt{112} \\b &= 10.6 \text{ cm}\end{aligned}$$

3. An airplane is cruising at an altitude of 9000m. A cross section of the earth is a circle with a radius approximately 6400km. A passenger wonders how far she is from a point H on the horizon she sees outside the window. Calculate the distance to the nearest kilometer.




$$\begin{aligned}
 a^2 + b^2 &= c^2 \\
 d^2 + 6400^2 &= 6409^2 \\
 d^2 + 40960000 &= 41075281 \\
 d^2 &= 41075281 - 40960000 \\
 d^2 &= 115281 \\
 d &= \sqrt{115281} \\
 d &= 339.5 \text{ km}
 \end{aligned}$$

8.2 Properties of Chords in a Circle

In any circle with center O and chord AB:

- If OC bisects AB, then $OC \perp AB$
- If $OC \perp AB$, then $AC = CB$
- The perpendicular bisector of AB goes through the center O.



Remember:


Perpendicular means there is a 90° angle.

Bisector means it is divided into 2 equal parts

If $AC = 10\text{cm}$, then $BC = 10\text{cm}$

Example # 1

O is the center of the circle. Find the length of chord AB.



Solution: Use the Pythagorean Theorem to solve for BC


$$\begin{aligned}a^2 + b^2 &= c^2 \\6^2 + BC^2 &= 10^2 \\36 + BC^2 &= 100 \\BC^2 &= 100 - 36 \\b^2 &= 64 \\BC &= \sqrt{64} \\BC &= 8 \text{ cm}\end{aligned}$$

$$AC = BC = 8 \text{ cm}$$

So the length of AB is $2 \times 8 \text{ cm} = 16 \text{ cm}$

Example # 2


The diameter of a circle is 18cm. A chord JK is 5cm from the center. Find the length of the chord.



$$\begin{aligned}a^2 + b^2 &= c^2 \\5^2 + b^2 &= 9^2 \\25 + b^2 &= 81 \\b^2 &= 81 - 25 \\b^2 &= 56 \\b &= \sqrt{56} \\b &= 7.5 \text{ cm}\end{aligned}$$


If $b = 7.5 \text{ cm}$, then the chord JK is $2 \times 7.5 \text{ cm} = 15 \text{ cm}$

Example # 3 A chord MN is 24cm. The radius of a circle is 20cm. Find the length of x.



Since the chord is 24cm, half it is 12cm. Use the Pythagorean Theorem to find the missing side of the triangle.

$$\begin{aligned}
 a^2 + b^2 &= c^2 \\
 12^2 + b^2 &= 20^2 \\
 144 + b^2 &= 400 \\
 b^2 &= 400 - 144 \\
 b^2 &= 256 \\
 b &= \sqrt{256} \\
 b &= 16 \text{ cm}
 \end{aligned}$$




Radius is 20 cm ALL the way around the circle!

The length of x must be 20 cm – 16 cm = 4 cm

Example # 4:

Finding Angle Measurements

x , y and z.



Solution

Since OC bisects chord AB, OC is perpendicular to AB. Therefore, $x = 90^\circ$

The 3 angles in a triangle must add up to 180° .


$$\begin{aligned}y + 30 + 90 &= 180 \\y + 120 &= 180 \\y + 120 - 120 &= 180 - 120 \\y &= 60^\circ\end{aligned}$$

Since radii are equal ($OA = OB$) and $\triangle OAB$ is isosceles, $z = 30^\circ$.

Remember that in an isosceles triangle the 2 base angles are equal.


Try These

A).



$$x = 90^\circ \text{ and } y = 50^\circ$$

B).



$$x = 90^\circ, y = 35^\circ \text{ and } z = 55^\circ$$


Section 8.3 Properties of Angles in a Circle

Central Angle and Inscribed Angle Property


The measure of a central angle is twice the measure of an inscribed angle subtended by the same arc.

Examples

#1




#2



$$x = 35^\circ$$


#3




$$y = 36^\circ$$

Inscribed Angles Property

Inscribed angles subtended by the same arc are equal.




Examples #1



$\angle ACB$ and $\angle ADB$ are inscribed angles subtended by the same arc AB. So,
 $\angle ACB = \angle ADB$. $x = 22^\circ$.

Central angle $\angle AOB$ and inscribed angle $\angle ACB$ are both subtended by arc AB. $\angle AOB = 2 \times \angle ACB$
 $y = 2 \times 22$ $y = 44^\circ$


#2



$\angle ACB$ and $\angle ADB$ are inscribed angles subtended by the same arc AB. So,
 $\angle ACB = \angle ADB$. $x = 14^\circ$.

Central angle $\angle AOB$ and inscribed angle $\angle ACB$ are both subtended by arc AB. $\angle AOB = 2 \times \angle ACB$
 $y = 2 \times 14$ $y = 28^\circ$

#3



Since both inscribed angles are subtended from the same arc as the central angle


$$\angle ACB = \angle ADB = \frac{1}{2} \angle AOB.$$

$$y = x = \frac{1}{2} (50^\circ)$$


$$y = x = 25^\circ$$

Angles in a Semicircle Property

Inscribed angles subtended by a semicircle (half the circle) are right angles. This means these angles use the diameter.



Example #1 Find the missing angle measures.



$\angle MIN$ is an inscribed angle subtended by a semicircle.
So, $x = 90^\circ$.

Since three angles in a triangle add to 180° ,


$$y + 90 + 40 = 180$$

$$y + 130 = 180$$

$$y + 130 - 130 = 180 - 130$$

$$y = 50^\circ$$

Example # 2 - Try this one!



$\angle MIN$ is an inscribed angle subtended by a semicircle.
So, $x = 90^\circ$.

Since three angles in a triangle add to 180° ,

$$y + 90 + 60 = 180$$

$$y + 150 = 180$$

$$y + 150 - 150 = 180 - 150$$

$$y = 30^\circ$$